The Mid Atlantic Regional Earth Science Applications Center (RESAC)

University of Maryland, Geography Department www.geog.umd.edu/resac Tel 301 405 3408

Overview


- One of 7 NASA RESACs nationwide
 - Centered at University of Maryland, College Park
 - Director, Manager, Liason, 1 Res. Scientist*
 - 4 Full-time Res. Assts, 8-10 Grad Students
- 40+ Partner organizations
- Study Area
 - Chesapeake Bay Watershed / Federal Region 3

The Mid Atlantic Regional Earth Science Applications Center (RESAC)

University of Maryland, Geography Department www.geog.umd.edu/resac Tel 301 405 3408

Objective: Improved Land Cover & Use Mapping, Monitoring and Modeling


- Current land cover / use
- Past land use change
- Modeling: Land use change, Chemical transport, NPP
- Demo Projects: Landscape Features and Properties
 - Crop cover, condition, productivity
 - Impervious surfaces
 - Forest cover & fragmentation
 - Riparian buffers
 - Wetlands



Chesapeake Bay
Watershed
Landsat7 Mosaic
for
Land Cover
Classification



Land Cover Classification of path 15 row 33




Improved Discrimination of land cover types:

- -crops, grasslands & pasture
- residential densities




Crop Mapping with Multi-Temporal Landsat Imagery




Kent County, Maryland 1998	Corn	Soybeans	Wheat
Acres from Satellite Map	35,468	37,218	20,730
Acres from Crop Statistics (NASS)	35,500	35,400	19,900





Multiple Sensors/Resolution
















IKONOS, Property View & Parcel Data




Landsat Residential Density Mapping




Impervious Surface Area Mapping




GIS Processing Steps - Training Data






Impervious Surface Mapping






Subpixel Impervious Surface Estimates for the Baltimore-Washington Metropolitan Area









Forest Cover & Parks System in Montgomery and Fairfax counties



Riparian Forest Buffer Assessment












Land Fill Tributary Water Quality Rating: Poor



Little Seneca Creek Water Quality Rating: Excellent








Reporting Statistics for Forested Riparian Buffers

Riverwood Area, Mont. Co 30m Buffer

Current Hydro Layer 85% forested

Improved Hydro Layer 65% forested







IKONOS
Forest
Cover
Map




IKONOS Land Cover Classification



30 m Stream Buffers: Planimetric and DEM-derived




Forest Buffer Area and Water Quality (hydro)






Forest Buffer Area and Water Quality (DEM)






Total Forest Area and Water Quality





Buffer Area vs Total Forest Area (DEM)



Percent Forested Area (%)



Conclusions

- Validation of TM scale LC analyses critical well served by Ikonos.
- Ikonos imagery proving useful for riparian forested buffer, residential density and impervious surface mapping.
- Products are essential for local Gov for resource management possibly replace / augment existing approaches (e.g., planimetric mapping).
- Ikonos provides valuable finer resolution data for mapping as well as for stream reach scale field work.
- Preliminary classification and analyses (with data collected at stream reach scale) suggest riparian buffers may improve water quality.



The Mid Atlantic Regional Earth Science Applications Center

University of Maryland, Geography Department www.geog.umd.edu/resac Tel 301 405 3408

RESAC Activities

- Satellite and aircraft data acquisition
- Geospatial data analyses using GIS
- Land cover and land use analyses

RESAC Services

- Facilitated Workshops
- Technological solutions for applications
- State and Local Governments
- Land Managers
- NGOs

RESAC and Geospatial Service Providers

- EarthSat Corp
- 3Di LLC
- Airborne-1
- EarthData Corp